

Table 1. *Cortinarius* species recorded during the 38. J.E.C. congress in South Tyrol, N Italy, 8.–14. October 2022. Species further commented below are marked in bold. *species sequence-verified.

<i>phlegmacioid species</i> (67 spp.)		<i>Telamonioid species</i> (14 spp.)
<i>C. anomaloochrascens</i>	<i>C. maculatocaespitosus</i>*	<i>C. alboviolaceus</i>
<i>C. anserinus</i>	<i>C. meinhardii</i>	<i>C. anisochrous</i>
<i>C. atrovirens</i>	<i>C. metarius</i>	<i>C. armeniacus</i>
<i>C. aureopulverulentus</i>	<i>C. multiformis</i>	<i>C. camphoratus</i>
<i>C. barrentium</i>	<i>C. mussivus</i>	<i>C. caninus</i>
<i>C. bergeronii</i>	<i>C. nanceiensis</i>	<i>C. cingulatus</i>
<i>C. caesiocanescens</i>	<i>C. ochroclarus</i>*	<i>C. camphoratus</i>
<i>C. caesiocortinatus (Abies)*</i>	<i>C. odorifer</i>	<i>C. comptulus*</i>
<i>C. calochrous</i>	<i>C. olidus (cliduchus)</i>	<i>C. duracinus</i> coll.
<i>C. camptoros s. str.*</i>	<i>C. olivaceodionysae*</i>	<i>C. fuscoperonatus</i>
<i>C. citrinus</i>	<i>C. piceae*</i>	<i>C. lepidopus</i>
<i>C. claricolor</i>	<i>C. pini*</i>	<i>C. nefastus</i>
<i>C. coerulescens</i>	<i>C. percomis</i>	<i>C. obtusus</i> coll.
<i>C. corrosus</i>	<i>C. porphyropus</i>	<i>C. traganus</i>
<i>C. cumatilis</i>	<i>C. praestans</i>	
<i>C. cupreorufus</i>	<i>C. pseudoarquatorum</i>	<i>Dermocyboid-leprocyboid species</i> (10 spp.)
<i>C. dalecarlicus*</i>	<i>C. pseudoglaucopus*</i>	<i>C. bolaris</i>
<i>C. dibaphus</i>	<i>C. purpurascens</i>	<i>C. callisteus</i>
<i>C. elegantior</i>	<i>C. rhizophorus</i>	<i>C. croceus</i>
<i>C. flavipallens*</i>	<i>C. russeoides</i>	<i>C. limonius</i>
<i>C. fraudulosoides*</i>	<i>C. saginus</i>	<i>C. malicorius</i>
<i>C. fraudulosus</i> coll.	<i>C. splendens</i>	<i>C. melanotus</i>
<i>C. fulvoochrascens</i>	<i>C. subgracilis*</i>	<i>C. orellanus</i>
<i>C. glaucopus</i> cf.	<i>C. subrugulosus*</i>	<i>C. rubellus</i>
<i>C. glaucoelotus*</i>	<i>C. sulfurinus</i>	<i>C. venetus</i>
<i>C. haasii*</i>	<i>C. triumphans</i>	<i>C. violaceus</i> v. <i>hercynicus</i>
<i>C. cf. hildegardiae</i>	<i>C. turmalis</i>	
<i>C. infractus s. str.</i>	<i>C. variegatus</i>	<i>Myxacioid species</i> (6 spp)
<i>C. laberiae*</i>	<i>C. variatus</i>	<i>C. delibutus</i>
<i>C. largus</i>	<i>C. varius*</i>	<i>C. elatior</i> coll.
<i>C. litophilus (ined.)</i>	<i>C. violaceomaculatus</i>	<i>C. emunctus</i>
<i>C. luhmannii</i>	<i>C. vulpinus</i>	<i>C. salor</i>
<i>C. lustratus</i>	<i>C. xanthoochraceus*</i>	<i>C. trivialis</i>
<i>C. luteobrunnescens</i>	<i>C. xanthophyllus*</i>	<i>C. vibratilis</i> coll.